



Firma: Desk  
Adresa: Čika Ljubina 20  
Telefon: +381113287160  
Fax: +381113292140  
PIB: 101520010  
E-mail: plato@desk.rs

## LAN MK TP-Link Archer T2U AC600 wireless 600Mbps dual band USB

Šifra:  
Kategorija proizvoda: Kontroleri/Kartice  
Proizvođač: TP-Link

Cena: **1.635,00** rsd.

### LAN MK TP-Link Archer T2U AC600 wireless 600Mbps dual band USB

#### HARDWARE FEATURES

<b>Interface</b>	USB 2.0
<b>LED</b>	Status
<b>Dimensions ( W x D x H )</b>	1.6×0.7×0.3 in. (41×19.5×8.7mm)
<b>Antenna Type</b>	Omni Directional

#### WIRELESS FEATURES

<b>Wireless Standards</b>	IEEE 802.11ac, IEEE 802.11a, IEEE 802.11n, IEEE 802.11g, IEEE 802.11b
<b>Frequency</b>	5GHz 2.4GHz
<b>Signal Rate</b>	5GHz 11ac: Up to 433Mbps(dynamic) 11n: Up to 150Mbps(dynamic) 11a: Up to 54Mbps(dynamic) 2.4GHz 11n: Up to 150Mbps(dynamic) 11g: Up to 54Mbps(dynamic) 11b: Up to 11Mbps(dynamic)
<b>Reception Sensitivity</b>	5GHz: 11a 6Mbps: -94dBm 11a 54Mbps: -78dBm 11n HT20 MCS0: -94dBm 11n HT20 MCS7: -77dBm 11n HT40 MCS0: -92dBm 11n HT40 MCS7: -74dBm 11ac VHT80 MCS0: -89dBm 11ac VHT80 MCS9: -64dBm 2.4GHz: 11b 1Mbps: -99dBm 11b 11Mbps: -91dBm 11g 6Mbps: -94dBm 11g 54Mbps: -77dBm 11n HT20 MCS0: -95dBm 11n HT20 MCS7: -76dBm 11n HT40 MCS0: -92dBm 11n HT40 MCS7: -73dBm
<b>Transmit Power</b>	<20dBm (EIRP)
<b>Wireless Modes</b>	Ad-Hoc / Infrastructure mode
<b>Wireless Security</b>	Support 64/128 bit WEP, WPA-PSK/WPA2-PSK, 802.1x

**WIRELESS FEATURES**

<b>Modulation Technology</b>	DBPSK, DQPSK, CCK, OFDM, 16-QAM, 64-QAM, 256-QAM
------------------------------	--

**OTHERS**

<b>Certification</b>	FCC, RoHS
----------------------	-----------

<b>Package Contents</b>	Wireless Adapter Archer T2U Resource CD Quick Installation Guide
-------------------------	--

<b>System Requirements</b>	Windows & MacOS
----------------------------	-----------------

<b>Environment</b>	Operating Temperature: 0?~40? (32?~104?) Storage Temperature: -40?~70? (-40?~158?) Operating Humidity: 10%~90% non-condensing Storage Humidity: 5%~90% non-condensing
--------------------	--