



Firma: Desk
Adresa: Čika Ljubina 20
Telefon: +381113287160
Fax: +381113292140
PIB: 101520010
E-mail: plato@desk.rs

HDD NAS Storage Synology DS925+ 4-Bay

Šifra:
Kategorija proizvoda: Oprema za servere
Proizvođač: Synology

Cena: **123.987,00** rsd.

HDD NAS Storage Synology DS925+ 4-Bay

Hardware Specifications

| | | |
|----------------|---|---|
| CPU | CPU Model | AMD Ryzen V1500B |
| | CPU Quantity | 1 |
| | CPU Core | 4 |
| | CPU Architecture | 64-bit |
| | CPU Frequency | 2.2 GHz |
| | Hardware Encryption Engine | |
| Memory | System Memory | 4 GB DDR4 ECC SODIMM |
| | Memory Module Pre-installed | 4 GB (4 GB x 1) |
| | Total Memory Slots | 2 |
| | Maximum Memory Capacity | 32 GB (16 GB x 2) |
| | Notes | Synology reserves the right to replace memory modules with the same or higher frequency based on supplier's product life cycle status. Rest assured that the compatibility and stability have been strictly verified with the same benchmark to ensure identical performance. Please select Synology memory modules for optimum compatibility and reliability. Synology will not provide complete product warranty or technical support if non-Synology memory modules are used for memory expansion. For multi-module memory configurations, all modules must be identical and share the same model number. Check the Product Manual of your Synology product for recommended memory configurations. |
| Storage | Drive Bays | 4 |
| | Maximum Drive Bays with Expansion Unit | 9 (DX525 x 1) |
| | M.2 Drive Slots | 2 (NVMe) |
| | Drive Type (See all supported drives) | 3.5" SATA HDD 2.5" SATA SSD M.2 2280 NVMe SSD |
| | Hot Swappable Drive* | |

| | | |
|-----------------------|--|---|
| | Notes | The hot swappable drive feature is not supported by M.2 SSD slots. Synology only guarantees full functionality, reliability, and performance for compatible drives. Please consult our compatibility list before purchasing hard drives. For more details, please refer to this article . |
| External Ports | RJ-45 2.5GbE LAN Port | 2 |
| | USB 3.2 Gen 1 Port | 2 |
| | Expansion Port | 1 |
| | Expansion Port Type | USB Type-C |
| Appearance | Size (Height x Width x Depth) | 166 mm x 199 mm x 223 mm |
| | Weight | 2.26 kg |
| Others | System Fan | 92 mm x 92 mm x 2 pcs |
| | Fan Speed Mode | Full-Speed Mode Cool Mode Quiet Mode |
| | Brightness Adjustable Front LED Indicators | |
| | Power Recovery | |
| | Noise Level* | 20.5 dB(A) |
| | Scheduled Power On / Off | |
| | Wake on LAN / WAN | |
| | Power Supply Unit / Adapter | 100 watts 120 watts* |
| | AC Input Power Voltage | 100V to 240V AC |
| | Power Frequency | 50/60 Hz, Single Phase |
| | Power Consumption | 37.91 watts (Access) 12.33 watts (HDD Hibernation) |
| | British Thermal Unit | 129.27 BTU/hr (Access) 42.05 BTU/hr (HDD Hibernation) |
| | Notes | For more information on how power consumption is measured, refer to this article . Noise testing was conducted with the Synology system fully installed with Synology SATA HDDs and in an idle state. Two G.R.A.S. Type 40AE microphones are placed at a 1 m distance from the front and rear of the device. Background noise: 16.49-17.51 dB(A); Temperature: 24.25-25.75°C; Humidity: 58.2-61.8% |
| Temperature | Operating Temperature | 0°C to 40°C (32°F to 104°F) |
| | Storage Temperature | -20°C to 60°C (-5°F to 140°F) |
| | Operating Humidity | 8% to 80% RH |
| | Storage Humidity | 5% to 95% RH |
| Certification | FCC CE BSMI VCCI RCM UKCA EAC CCC KC BIS | |
| Warranty | 3-year hardware warranty, extendable to 5 years with EW201 or Extended Warranty Plus | |

| | | |
|-----------------------------|---|--|
| | Notes | The warranty period starts from the purchase date as stated on your purchase receipt. (Learn more) Extended Warranty Plus is only available in Europe and North America. EW201/EW202 is only available in Asia, Africa, and Oceania. For exact availability information please visit their respective websites. |
| Environment | RoHS Compliant | |
| Packaging Content | Main Unit X 1 Accessory Pack X 1 AC Power Adapter X 1 AC Power Cord X 1 RJ-45 LAN Cable X 2 | |
| Optional Accessories | DDR4 ECC SODIMM: D4ES04-4G/D4ES03-8G/D4ES03-16G Expansion Units: DX525 Enterprise Series 3.5" SATA HDD: HAT5300 Series Plus Series 3.5" SATA HDD: HAT3300 Series Enterprise Series 2.5" SATA SSD: SAT5200 Series Enterprise Series M.2 2280 NVMe SSD: SNV3400 & SNV5400 Series | |