Firma: Desk
Adresa: Čika Ljubina 20
Telefon: +381113287160
Fax: +381113292140
PIB: 101520010
E-mail: plato@desk.rs

Wireless TP-Link BE3600 Dual-Band Wi-Fi 7 Range Extender

Cena: 9.799,00 rsd.

Šifra: RE225BE
Kategorija prozivoda: Ruteri i ekstenderi
Proizvođač: TP-Link



Interface	1 Gbps Ethernet Port
Button	• WPS Button • Reset Button
Input Power	100-240V~50/60Hz 0.3A
Max. Power Consumption	15W
Dimensions (W x D x H)	3.8 × 1.8 × 6.2 in (97 × 46 × 158 mm)
Antenna	2 External Antennas

Cene su informativnog karaktera. Prodavac ne odgovara za tačnost cena iskazanih na sajtu, zadržava pravo izmena cena. Ponudu za ostale artikle, informacije o stanju lagera i aktuelnim cenama možete dobiti na upit. Plaćanje se isključivo vrši virmanski - bezgotovinski.

WIRELESS FEATURES	
Wireless Standards	**Wi-Fi 7** IEEE 802.11be/ax/ac/n/a 5 GHz IEEE 802.11be/ax/n/b/g 2.4 GHz
Frequency	• 5 GHz • 2.4 GHz
Signal Rate	• 2882 Mbps at 5 GHz • 688 Mbps at 2.4 GHz
Working Modes	Range Extender/Access Point
Reception Sensitivity	5GHz: 11be EHT20 MCS0:-96dBm 11be EHT40 MCS0:-94dBm 11be EHT80 MCS0:-91dBm 11be EHT160 MCS0:-88dBm 11be EHT20 MCS13:-59dBm 11be EHT40 MCS13:-57dBm 11be EHT80 MCS13:-54dBm 11be EHT160 MCS13:-51dBm 2.4GHz: 11be EHT20 MCS0:-95dBm 11be EHT40 MCS0:-93dBm 11be EHT20 MCS13:-58dBm 11be EHT40 MCS13:-56dBm
Wireless Security	• WPA/WPA2-PSK encryptions • WPA2/WPA3
Advanced Features	• Multi-Link Operation (MLO) • 160 MHz Channel • 4K-QAM • Multi-RUs
Transmission Power	FCC: • 2.4GHz < 30dBm • 5GHz < 30dBm

WIRELESS FEATURES	
Mesh Technology	EasyMesh-Compatible
Wireless Function	• LED Control • Access Control • Power Schedule • Wi-Fi Coverage

OTHER	
Network Services Enabled by Default	**Web Server** Manage and configure device through web (HTTP/HTTPS) • Port: 80/443 Protocol: TCP **DHCP Server** IP address assignment (DHCP) • Port: 67 Protocol: UDP **App management** Manage and configure device through app • Port: 20001 Protocol: TCP • Port: 20002 Protocol: UDP

OTHERS	
Certification	FCC, RoHS
Package Content	• Wi-Fi 7 Range Extender RE235BE • Quick Installation Guide
System Requirements	Internet Explorer, Firefox, Chrome, Safari, or other JavaScript-enabled browser

OTHERS	
Environment	• Operating Temperature: 0℃~40℃ (32℉ ~104℉) • Storage Temperature: -40℃~70℃ (-40℉ ~158℉) • Operating Humidity: 10%~90% non-condensing • Storage Humidity: 5%~90% non-condensing