Firma: Desk
Adresa: Čika Ljubina 20
Telefon: +381113287160
Fax: +381113292140
PIB: 101520010
E-mail: plato@desk.rs

Wireless TP-Link TLWA860RE ex

Cena: 2.999,00 rsd.

Šifra: TL-WA860RE
Kategorija prozivoda: Ruteri i ekstenderi
Proizvođač: TP-Link

WIRELESS	
Working Modes	Range Extender/Access Point

Cene su informativnog karaktera. Prodavac ne odgovara za tačnost cena iskazanih na sajtu, zadržava pravo izmena cena. Ponudu za ostale artikle, informacije o stanju lagera i aktuelnim cenama možete dobiti na upit. Plaćanje se isključivo vrši virmanski - bezgotovinski.

HARDWARE FEATURES	
Plug Type	EU, UK, US
Standards and Protocols	IEEE 802.11n, IEEE 802.11g, IEEE 802.11b
Interface	1 * 10/100Mbps Ethernet Port (RJ45)
Ports	1 x 10/100Mbps Ethernet Port (RJ45)
Button	RE (Range Extender) Button, Reset Button
Input Power	100-240V~50/60Hz
Power Consumption	About 3W
Dimensions (W x D x H)	4.3x 2.6 x 3.0in. (110.0 x 65.8 x 75.2mm)
Antenna	2 * external

WIRELESS FEATURES	
Wireless Standards	IEEE 802.11n, IEEE 802.11g, IEEE 802.11b
Frequency	2.4~2.4835GHz
Signal Rate	11n: Up to 300Mbps (dynamic) 11g: Up to 54Mbps (dynamic) 11b: Up to 11Mbps (dynamic)
Reception Sensitivity	270M: -69dBm@10% PER 130M: -69dBm@10% PER 108M: -69dBm@10% PER 54M: -69dBm@10% PER 11M: -86Bm@8% PER 6M: -89dBm@10% PER 1M: -91dBm@8% PER
Transmit Power	< 20 dBm (EIRP)
Wireless Modes	Range Extender
Wireless Functions	WMM (Wi-Fi Multimedia) Wireless MAC Address Filtering Wireless Statistic Domain Login Function
Wireless Security	64/128/152-bit WEP WPA-PSK / WPA2-PSK
Transmission Power	CE: <15dBm

OTHERS	
Certification	RoHS
Package Contents	300Mbps Wi-Fi Range Extender with AC Passthrough TL-WA860RE RJ-45 Ethernet Cable Quick Installation Guide
System Requirements	Microsoft® Windows® 98SE, NT, 2000, XP, Vista or Windows 7, 8, 10, Mac® OS, NetWare®, UNIX® or Linux.
Environment	Operating Temperature: 0°C~40°C (32°F~104°F) Storage Temperature: -40°C~70°C (-40°F~158°F) Operating Humidity: 10%~90% non-condensing Storage Humidity: 5%~90% non-condensing